Low Dose CT (LDCT) Lung Cancer Screening

nistory of nicotine dependence dependence due to tobacco	
dependence due to tobacco	
aseline or Annual C	Γ only)
Packs/year tabulation Total packs year calculator: http://www.number of packs/day X number of backs/day X numb	ck years* w.smokingpackyears.com/ er of years smoked).
S score of 3, 4A or 4B/4X whe v conditions will be done as a	
R91.8 other nonspecific abnor	rmal finding of lung field
at: g session during which poten	tial risks and benefits of
e to annual screening, impact	of comorbidities, and
cessation and/or maintaining s cco cessation counseling service	
r, chest pain, new shortness o eight loss).	of breath, new or changing
ons to: 540.741.7679.	
Date:	
NPI #:	
	Number of packs/day X numbered by the at least 20 pack years of edicare payers. Seconditions will be done as a conditions will be done as a condition of the edicare payers of the edicare payers. Seconditions will be done as a condition of the edicare payers of the edicare payers. Seconditions will be done as a condition of the edicare payers of the edicare payers. Seconditions will be done as a condition of the edicare payers of the edicare payers. Second of 3, 4A or 4B/4X where the edicare payers of the edicare payers. Second of 3, 4A or 4B/4X where the edicare payers of the edicare payers. Second of 3, 4A or 4B/4X where the edicare payers of the edicare payers. Second of 3, 4A or 4B/4X where the edicare payers of the edicare payers. Second of 3, 4A or 4B/4X where the edicare payers of the edicare payers. Second of 3, 4A or 4B/4X where the edicare payers of the edicare payers. Second of 3, 4A or 4B/4X where the edicare payers of the edicare payers. Second of 3, 4A or 4B/4X where the edicare payers of the edicare payers. Second of 3, 4A or 4B/4X where the edicare payers of the edicare payers. Second of 3, 4A or 4B/4X where the edicare payers of the edicare payers of the edicare payers. Second of 3, 4A or 4B/4X where the edicare payers of the

1201 Sam Perry Blvd., Suite 102 Fredericksburg, VA 22401

125 Woodstream Blvd., Suite 109 Stafford, VA 22556



To schedule or cancel a Low Dose CT lung cancer screening, please call 540.741.XRAY(9729).

To **schedule** or **cancel** a Low Dose CT lung cancer screening, please call **540.741.XRAY(9729).**

Please include insurance cards and contact number.

Low Dose CT (LDCT) Lung Cancer Screening

Medicare

- 50 77 years of age.
- Minimum 20 pack year history.
- Current smoker or has quit smoking within last 15 years.
- Asymptomatic.
- No lung cancer diagnosis in the past five years.

Commercial Insurance Coverage Criteria

- 50 80 years of age.
- Minimum 20 pack year history.
- Current smoker or has quit smoking within last 15 years.
- Asymptomatic.
- No lung cancer diagnosis in the past five years.

Referring Physician's Requirements

Shared decision-making visit (prior to patient having LDCT): G0296 - Shared decision-making visit (all payors).

"The shared decision-making visit may be billed on the same day as another evaluation and management (E&M) or annual wellness visit as long as the requirements for the counseling and shared decision-making visit are met. In such cases, a modifier – 25 would be added to the G0296 code. As with a standalone LDCT counseling visit, no coinsurance or deductible would be associated with this billing."

Steps Required for Low Dose CT Lung Cancer Screening

- Conduct shared decision-making conversation/visit G0296 with patient—required on initial visit.
- Counsel patient on importance of abstaining from smoking.
- Document patient smoking history in medical record.
- Complete LDCT lung cancer screening prescription order (on reverse).





